
## Attachment 3-A

Site Inspection Sheets

Groundwater, Soil Moisture and Gas



## ANNUAL INSPECTION REPORT FORM FOR WAG 8 OPERATIONS AND MAINTENANCE PLAN

Groundwater Monitoring Wells/Moisture Probes/Soil Gas Ports (See RD/RA Operations and Maintenance Plan, Sections 2.3 and 2.4 for Details)

	Comments/Recommended Renairs											
10/11/03	WRF- 9 NNF-10	2P 2P	0% 0%	94 × 44						the re-wayped	honsin is a le	· decorate
20/2/01	Well or Probe	200		**	#1 OK					det. If whe needs to be	on aleminem house	<b>b</b>
		MONITORING WELLS  1. Inspect locks.	Inspect housing.	ines.	1	MOISTURE MONITORING NEUTRON PROBES     Inspect individual access tubes for damage.     Inspect locks for damage.	SOIL GAS MONITORING WELLS	Inspect locks for damage.     Ensure well is functioning correctly.	4. Inspect concrete pads and bollards.	51 paint on bollands is tade	+ & HOUSENA ON Corner weed	

If Taken, Number motor was \*\* Note: The

(Yes) No Pics P. Photograph

Photographs Taken?

Printed Name of Inspector / Eur 7 6. W

Signature

## ANNUAL INSPECTION REPORT FORM FOR WAG 8 OPERATIONS AND MAINTENANCE PLAN Groundwater Monitoring Wells/Molsture Probes/Soil Gas Ports (See RD/RA Operations and Maintenance Plan, Sections 2.3 and 2.4 for Details)

SHOWER DOOR SHOULD BE SHOU		
	10/17/03	
	Date	

	Well or Probe Designator	
Inspection Activity	WRF-11 NWF-12 -	Comments/Recommended Benzim
MONITORING WELLS	20 26	dipolarization version included in the parts
+	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3. Inspect electrical wiring		
++	8K 0K	
Les l'inspect concrete pad and bollards.	0x de	
MOISTURE MONITORING NEUTRON PROBES		
2. Inspect locks for damage.		
SOIL GAS MONITODING WELLS		
1 Inspect well casing for signs of damage		
3. Ensure well is functioning correctly.		
Isbe		
The Corner well on alimin	men Mousing is creeked	
Printed Name of Inspector KELLY D.	W/LL/E Photograp	Photographs Taken? (Yes) No
Signature Auff 2 Will	If Taken, N	) . P. (
		The Lange to the said